



03500.014730.1

PATENT

Cafe

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)
HIROSHI OHKURA ET AL.) Examiner: K.M. Bernatz
Appln. No.: 10/609,421) Group Art Unit: 1773
Filed: July 1, 2003)
For: METHOD OF MANUFACTURING)
A STRUCTURE HAVING PORES)
U.S. Patent No.: 6,924,023 B2)
Issued: August 2, 2005) November 7, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
NOV 15 2005
of Correction

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

11/09/2005 CNGUYEN 00000086 6924023

01 FC:1811


100.00 OP

NOV 17 2005

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,


Jason M. Okun
Attorney for Patentees
Registration No. 48,512

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_Main 534999 v1

NOV 17 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,924,023 B2

DATED : August 2, 2005

INVENTOR(S) : HIROSHI OHKURA ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [57] ABSTRACT:

Line 1, "nonostructure," should read --nanostructure,--.

COLUMN 1:

Line 55, "namometers" should read --nanometers--; and

Line 56, "namometers" should read --nanometers--.

COLUMN 2:

Line 11, "Also" should read --also--.

COLUMN 4:

Line 28, "A:" should read --¶ A:--; and

Line 49, "substate" should read --substrate--.

COLUMN 6:

Line 12, "from" should read --form--.

COLUMN 8:

Line 32, "(projections)" should read --projections)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,924,023 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,924,023 B2

DATED : August 2, 2005

INVENTOR(S) : HIROSHI OHKURA ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 22, "Finally," should read --¶ Finally,--;

Line 27, "The" should read --¶ The--; and

Line 30, "In" should read --¶ In--.

COLUMN 10:

Line 38, "3B1." should read --3B1).--; and

Line 62, "having" should read --was formed having--.

COLUMN 12:

Line 24, "steps" should read --step--.

COLUMN 14:

Line 1, " $\lambda 325$ " should read --($\lambda = 325$ --; and

Line 15, " $\sqrt{3} \times 230 = 266 \text{ nm}$ " should read -- $\sqrt{3} \times 230 \approx 266 \text{ nm}$ --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,924,023 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,924,023 B2

DATED : August 2, 2005

INVENTOR(S) : HIROSHI OHKURA ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [57] ABSTRACT:

Line 1, "nonostructure," should read --nanostructure,--.

COLUMN 1:

Line 55, "namometers" should read --nanometers--; and
Line 56, "namometers" should read --nanometers--.

COLUMN 2:

Line 11, "Also" should read --also--.

COLUMN 4:

Line 28, "A:" should read --¶ A:--; and
Line 49, "substate" should read --substrate--.

COLUMN 6:

Line 12, "from" should read --form--.

COLUMN 8:

Line 32, "(projections)" should read --projections)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,924,023 B2

No. of add'l. copies
@ 30¢ per page



NOV 17 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,924,023 B2

DATED : August 2, 2005

INVENTOR(S) : HIROSHI OHKURA ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 22, "Finally," should read --¶ Finally,--;

Line 27, "The" should read --¶ The--; and

Line 30, "In" should read --¶ In--.

COLUMN 10:

Line 38, "3B1." should read --3B1).--; and

Line 62, "having" should read --was formed having--.

COLUMN 12:

Line 24, "steps" should read --step--.

COLUMN 14:

Line 1, " $(\lambda 325$ " should read -- $(\lambda = 325$ --; and

Line 15, " $\sqrt{3} \times 230 = 266 \text{ nm}$ " should read -- $\sqrt{3} \times 230 \approx 266 \text{ nm}$ --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,924,023 B2

No. of add'l. copies
@ 30¢ per page



NOV 17 2005

Staple
Here.
Only!

PRINTER'S TRIM LINE